LINSY 林氏家居

安装示意图/Assembly Instruction

产品名称 Model NO.	TO2D-A1
产品规格 Specification	1194*612*2003mm
安装工具 Tool	安装人数 Installer







五金表/Hardware list

(A)＊25
自攻螺丝M3.5x12mm
Self-tapping screw

(B)＊61
二合一螺杆
2-in-1-screw

(C)＊61
大三合一锁饼
Three-in-one large lock

(D)＊11
背板扣
Back Plate Buckle-White

(E)＊13
木榫Ø8x30mm
wood tenon

(F)＊11
自攻螺丝M3.5x16mm
Self-tapping screw

(G)＊ 3
拉手螺丝-M4x22mm
pulling screw

(H)＊ 3
拉手
Handle



(I)＊ 2
透气孔盖-白色
Vent cover - white

(J)＊ 4
挂衣托F874-B
Clothes hanger

(K)＊12
缓冲门铰中弯-Ø40
Hinge-middle bending

(L)＊12
层板托
shelf support

(M)＊12
脚垫-灰色
Footrest - Grey

(N)＊ 2
过山丝-M7x38mm
Self-tapping screw galvanized

(O)＊ 1
内六角扳手4mm
spanner-(4mm) hex

(P)＊ 8
自攻螺丝M4x35mm
Self-tapping screw

(Q)＊ 1
挂衣杆-L=758mm
Clothes hanging rod

(R)＊ 1
挂衣杆-L=375mm
Clothes hanging rod



(S)＊ 8
圆管-Ø14*460
Round tube



(T)＊ 1
三节滚珠导轨-18"
three-section ball rail



(U)＊ 1
感应灯
Induction lamp

部件表/Parts List

编号NO.	名称Name	规格（mm）Specification	数量QTY	材质Material
①	右侧板 Side board(R)	2000*574*15	1	三胺板Melamine
②	左侧板 Side board(L)	2000*574*15	1	三胺板Melamine
③	顶板 Top board	1164*574*15	1	三胺板Melamine
④	底板 Bottom board	1164*554*15	1	三胺板Melamine
⑤	长层板 Long laminate	765*532*15	1	三胺板Melamine
⑥	活动层板 Movable shelf	382*532*15	2	三胺板Melamine
⑦	中侧板 Middle side board	1912*534*15	1	三胺板Melamine
⑧	边背拉条 Side back brace	1912*140*15	2	三胺板Melamine
⑨	背拉条 Back brace	1912*140*15	1	三胺板Melamine
⑩	大背板 Big backboard	1922*575*5	1	三胺板Melamine
⑪	小背板 Small sack board	1922*191*5	1	三胺板Melamine
⑫	长脚条 Long foot slat	1164*58*15	2	三胺板Melamine
⑬	中脚条 Middle foot strip	522*58*15	1	三胺板Melamine
⑭	导轨垫条 Rail cushion strip	532*88*25	2	三胺板Melamine
⑮	小抽屉面板 Small drawer's panel	712*82*15	1	三胺板Melamine
⑯	小抽屉侧板 Small Drawer's side board	442*58*15	2	三胺板Melamine
⑰	中拉条 Brace	442*58*15	1	三胺板Melamine
⑱	小抽屉后板 Small drawer's back board	690*58*15	1	三胺板Melamine
⑲	左门板 Door board(L)	1950*396*23	1	吸塑板Blister board
⑳	右门板 Door board(R)	1950*396*23	2	吸塑板Blister board

TO2D-A1

安装方法/ Installation method



大二合一
two-in-one



背板扣
Back Plate Buckle-White

1

(B)*6

(C)*6

(S)*8



2

(A)*8

(B)*6

(C)*6

(T)*1



3

(B)*2

(C)*2

(M)*8



4

(B)*8

(C)*8



TO2D-A1

安装方法/ Installation method

阀门开关(下压为开) 1
Valve switch
(press down to open)



注：先将A与B拆下来
Note: remove a and B first

2



3

抽屉侧板
sideboard
of the drawer



4

5



注：将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

5

(B)*8
(C)*8
(E)*2
(N)*2
(O)*1



6

(B)*8
(C)*8
(E)*2
(I)*2



7

(B)*10
(C)*10
(E)*4
(M)*2



8

(B)*10
(C)*10
(D)*10
(E)*4
(F)*10
(M)*2



T02D-A1

安装方法/ Installation method

大弯big bend



中弯middle bending



直弯straight bending







调节上下
Adjust up and down



调节左右
Adjust left and right



调节前后
Before and after adjustment

门铰
Hinge





层板托5mm
shelf support

9

(P)*8



10

(A)*8

(L)*12

(T)*1



11

(A)*8

(J)*4

(Q)*1

(R)*1

(U)*1



注意!五金U：把3M胶铁片贴在顶板的适宜位置上，把人体感应LED灯开关调整好后放入即可使用。
Attention! Hardware U: Put the 3M rubber iron sheet on the appropriate position of the top plate, adjust the human induction LED light switch and then put it into use.



12

(G)*3

(H)*3

(K)*12